

3769926239 .050602 830  
#13  
OCKET NO. MCP-0242

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants: Sowden & Li

Serial No.: 09/986,939

Art Unit: 1615

Filed P.E.: September 28, 2001

Examiner:

For MAY 06 2002 JG48 Systems, Methods and Apparatuses for Manufacturing Dosage Forms

hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Box Missing Parts, Commissioner for Patents, Washington, DC 20231 on

May 2, 2002

(Date of Deposit)

Sharon E. Hayner

(Name of applicant, assignee, or Registered Representative)

(Signature)

May 2, 2002

(Date of Signature)

BOX MISSING PARTS  
Commissioner for Patents  
Washington, D.C. 20231

SUBMISSION TO CORRECT APPLICATION PAPERS

Dear Sir:

Please find enclosed a Power of Attorney for the application of Sowden & Li entitled Systems, Methods and apparatuses for Manufacturing Dosage Forms attorney Docket No. MCP-0242, to complete, pursuant to Rule 51, this application filed on September 28, 2001 by Express Mail pursuant to Rule 10.

In compliance with 37 CFR 1.84, new drawings are enclosed herewith in response to the Notice to File Corrected Application Papers dated March 20, 2002.

In compliance with 37 CFR 1.52, a substitute specification is enclosed herewith in response to the Notice to File Corrected Application Papers dated October 18, 2001. No new material has been added.

As required, a copy of the Notice to File Missing Parts of Application is also attached.

Please charge Johnson & Johnson Deposit Account No. 10-0750/MCP-0242/SHH, and the Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Account No. 10-0750/MCP-0242/SHH. This sheet is submitted in triplicate.

Respectfully submitted,

Sharon E. Hayner  
Reg. No. 33,058  
Attorney for Applicant(s)

Johnson & Johnson  
One Johnson & Johnson Plaza  
New Brunswick, NJ 08933-7003  
(732) 524-2242

BEST AVAILABLE COPY

RECEIVED  
MAY 23 2002  
TC 3700 MAIL ROOM



## UNITED STATES PATENT AND TRADEMARK OFFICE

MAY 06 2002

COMMISSIONER FOR PATENTS  
 UNITED STATES PATENT AND TRADEMARK OFFICE  
 WASHINGTON, D.C. 20231  
[www.uspto.gov](http://www.uspto.gov)

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/966,939	05/28/2001	Harry S. Sowden	MCP-0242

PATENT & TRADEMARK  
JC48

CONFIRMATION NO. 5012

000027777  
 AUDLEY A. CIAMPORCERO JR.  
 JOHNSON & JOHNSON  
 ONE JOHNSON & JOHNSON PLAZA  
 NEW BRUNSWICK, NJ 08933-7003

## FORMALITIES LETTER



\*OC00000007677938\*

Date Mailed: 03/20/2002

## NOTICE OF INCOMPLETE REPLY (NONPROVISIONAL)

*Filing Date Granted*

The U.S. Patent and Trademark Office has received your reply on 02/19/2002 to the Notice to File Missing Parts (Notice) mailed 11/02/2001 and it has been entered into the nonprovisional application. The reply, however, does not include the following items required in the Notice.

The period of reply remains as set forth in the Notice. You may, however, obtain EXTENSIONS OF TIME under the provisions of 37 CFR 1.136 (a) accompanied by the appropriate fee (37 CFR 1.17(a)).


A complete reply must be timely filed to prevent ABANDONMENT of the above-identified application.

The application is informal since it does not comply with the regulations for the reason(s) indicated below.

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice MUST be returned with the reply.*

  
 Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

RECEIVED  
 MAY 23 2002  
 103-100 MAIL ROOM

BEST AVAILABLE COPY